

SAFETY DATA SHEET

| Product: | AMRI CAIRAN PEMBERSIH KACA | Date of Issue: | 25/10/2024 |
|-----------------|----------------------------|----------------|------------|
| Use: | Glass Cleaner | Issue no: | 1 |

SECTION 1 – PRODUCT IDENTIFICATION

Product name : AMRI Cairan Pembersih Kaca

Product description : Liquid for cleaning glass

Recommended use : Glass cleaner

Physical form : Liquid

Product dillution information: Product is sold ready to use

Supplier's details : PT. Anugrah Multi Ragam Indonesia

Address : Jl. Mredo Kulon No.49, Gatak, Bangunharjo, Sewon, Bantul, DI

Yogyakarta 55185

SECTION 2 – HAZARD IDENTIFICATION

GHS Classification Product AS SOLD

Eye irritation : Category 2B

GHS label elements Product AS SOLD

Hazard pictograms



Signal word : Warning

Hazard statement : Causes eye iritation

Precautionary statements : **Prevention:**

Wash hands thoroughly after handling.

Response:

IF IN EYES: Rinse thoroughly with water for several minutes. Remove contact lenses if easy to do, and continue rinsing. Seek medical advice

if irritation persists.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance / mixture : Mixture

| Chemical name | CAS number | Concentration (%) |
|---|------------|-------------------|
| Methanol | 67-56-1 | 1-3 |
| D-Glucopyranose oligomer decyl octyl glycosides | 68515-73-1 | <1 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment.

SECTION 4 – FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

SECTION 5 – FIRE FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : The produ

: The product is non-flammable. In case of fire, use alcohol-resistant foam, carbon dioxide, dry powder, or a water mist. Select a fire-extinguishing method appropriate for the surrounding materials.

Unsuitable extinguishing media

: Avoid using a water jet for extinguishing, as it can cause the fire to spread.

Spesial hazard arising from the subtance or mixture

Spesific hazards

: When exposed to heat, containers may burst or explode due to excessive pressure buildup.

Hazardous combustion products

: Decomposition or combustion from heat may release harmful gases or vapors.

Advice for firefighters

Protective actions during firefighting: Avoid inhaling gases or vapors from the fire. Evacuate the area and, if

safe, cool heated containers with water spray and move them away from the fire. Continue cooling until the fire is completely extinguished. If a leak hasn't ignited, use water spray to disperse vapors and shield personnel managing the leak. Contain any runoff to prevent it from entering sewers or waterways, and inform authorities if there's a pollution risk.

Special protective for firefighter

: Firefighters should wear suitable protective gear and a Self-Contained Breathing Apparatus (SCBA) with a full face mask, operating in positive pressure mode.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

For non-emergency personal : Avoid taking any action that involves personal risk or requires specific

training. Evacuate nearby areas, keeping unnecessary and unprotected

people away. Avoid contact with the spilled material and wear

appropriate protective equipment.

For emergency responders : If special protective clothing is needed, refer to Section 8 for suitable

materials.

Environmental precautions : Prevent spilled material from spreading or contaminating soil,

waterways, drains, and sewers. Notify authorities if the spill causes

environmental pollution.

Personal precautions, protective equipment and emergency procedures

Small spill : Stop the leak if safe to do so and move containers from the spill area.

For water-soluble spills, dilute with water and mop up; for water-insoluble spills, absorb with an inert dry material and place in a suitable disposal container. Dispose of through a licensed waste

contractor.

Large spill : Stop the leak if safe and approach from upwind. Prevent spills from

entering sewers, waterways, or confined spaces. Direct spill to an effluent treatment facility or contain with noncombustible absorbents like sand, earth, or vermiculite. Dispose of through a licensed waste contractor, as contaminated absorbent materials may retain the same

hazards as the spilled substance.

SECTION 7 – HANDLING AND STORAGE

Protective measures : Wear the necessary personal protective equipment (refer to Section

8). Avoid contact with eyes, skin, and clothing, and do not inhale vapor or mist. Do not ingest the product. Store in its original container or an approved alternative that is compatible, ensuring it remains tightly closed when not in use. Empty containers may

retain residues and pose hazards—do not reuse them.

Advice on general occupational: Prohibit eating, drinking, and smoking in areas where this material is handled, stored, or processed. Workers should wash hands and

is handled, stored, or processed. Workers should wash hands and face before engaging in these activities and remove contaminated

clothing and equipment before entering break areas..

Conditions for safe storage, : Store according to local regulations in a dry, cool, well-ventilated including any incompatibilities area, away from incompatible substances, food, and drink, and

area, away from incompatible substances, food, and drink, and keep out of direct sunlight. Ensure the container is securely sealed and upright to prevent leaks. Do not store in unlabeled containers, and use proper containment to prevent environmental

contamination.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control parameters

Appropriate engineering controls : If user activities produce dust, fumes, gas, vapor, or mist, utilize

process enclosures, local exhaust ventilation, or other engineering

controls.

: Emissions from ventilation or equipment should be monitored to Environmental exposure controls

> ensure compliance with environmental protection regulations. In certain situations, fume scrubbers, filters, or modifications to the

equipment may be required.

Individual protection measures

Hand protection : Wear chemical-resistant, impermeable gloves that meet approved

standards whenever handling chemical products, if a risk

assessment deems it necessary.

: Use safety eyewear that meets approved standards to prevent Eye / face protection

> exposure to liquid splashes, mists, gases, or dusts, as determined by a risk assessment. If contact is possible, wear chemical splash

goggles unless higher protection is needed.

: Select body protective equipment based on the specific task and Skin and body protection

associated risks, with specialist approval before handling the

product.

Hygiene measures : Thoroughly wash hands, forearms, and face after handling

chemicals, before eating, smoking, using the restroom, and at the end of the work period. Use suitable methods to remove any contaminated clothing, washing it before reuse. Ensure that

eyewash stations and safety showers are near the work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Liquid Boiling point : No data available Color : Clear, dark blue Melting/freezing point : No data available

Odour : Fresh

Flash point : > 93 °C Relative density $: 1025 \text{ Kg/m}^3$ Solubility in water : Water soluble : 7-8 (100%) Viscosity, kinematic : 40 mPa.s pН

SECTION 10 - STABILITY AND REACTIVITY

The product is stable, no dangerous reactions known.

SECTION 11 – TOXICOLOGICAL INFORMATION

Dishwashing liquid has a low level of toxicity. While it may cause irritation, it is unlikely to be corrosive. It is considered to have emetic properties.

Foam readily : aspiration of foam into lungs is possible.

Eye : can cause mild irritation

: unlikely to be irritant to skin in normal use Skin

Inhalation : may cause mild irritation especially when exposed for a long time

In cases of large ingestion, address symptoms as they arise.

SECTION 12 – ECOLOGY INFORMATION

Ecotoxicity

Product AS SOLD

Environmental effects : Harmful to aquatic life with prolonged effects and toxic to aquatic

organisms.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste generation should be avoided or minimized as much as possible. Disposal of this product, its solutions, and any by-products must comply with environmental protection laws and local regulations. Use a licensed waste disposal contractor for non-recyclable products, and only dispose of waste into the sewer if it meets all authority requirements. Recycle packaging when possible; incineration or landfill should only be a last resort. Dispose of the material and its container safely, as empty containers may still contain residues. Prevent spills from reaching soil, waterways, or drains.

SECTION 14 – TRANSPORT INFORMATION

Product AS SOLD

The shipper, consignor, or sender must ensure that packaging, labeling, and markings meet the requirements of the chosen mode of transport.

Land transport

Not dangerous goods

Sea transport

Not dangerous goods

SECTION 15 – REGULATORY INFORMATION

EPCRA - Emergeny Planning and Community Right-to-Know

CERCLA Reportable Quantitiy

| Chemical name | CAS number | Component RQ (lbs) | Calculated product RQ (lbs) |
|---------------|------------|--------------------|-----------------------------|
| Methanol | 67-56-1 | 5000 | 250,000 |

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313

| Chemical name | CAS number | Concentration (%) |
|---------------|------------|-------------------|
| Methanol | 67-56-1 | 1-2 |

SARA 313 notifications must remain attached to the SDS, and any copying or redistribution of the SDS must include the attached notice in all redistributed copies.

United States TSCA Inventory:

All sustances listed as active on the TSCA inventory

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

Japan. Existing and New Chemical Substances Inventory (ENCS):

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

SECTION 16 – OTHER INFORMATION

Product AS SOLD

NFPA:

HMIS III:



History

Issuing date : 25/10/2024Date of previous issue : 00/00/0000

Version : 1.0

Prepared by : Regulatory Affairs

Health effects from exposure

The health effects from exposure to this product depend on several factors, including frequency and duration of use, quantity used, effectiveness of control measures, protective equipment employed, and method of application. Since it is impractical to prepare a report that encompasses all possible scenarios, users are expected to assess risks and implement appropriate control methods.

Personal protective equipment guidelines

The recommendations for personal protective equipment in this report are provided as a guideline only. Factors such as the method of application, working environment, quantity used, product concentration, and availability of engineering controls should be considered before making the final selection of personal protective equipment.

Report stuatus

The information in this safety data sheet is accurate to the best of our knowledge as of the issue date and applies when the product is used as directed. It does not imply that the substance is hazardous if handled according to safety guidelines. This data is solely for occupational safety and health purposes. PT Anugrah Multi Ragam Indonesia assumes no responsibility for injuries or property damage resulting from misuse of the product.

