

SAFETY DATA SHEET

| Product: | AMRI CAIRAN PEMBERSIH LANTAI | Date of Issue: | 25/10/2024 |
|-----------------|------------------------------|----------------|------------|
| Use: | Floor Cleaning Liquid | Issue no: | 1 |

SECTION 1 – PRODUCT IDENTIFICATION

| Product name | : AMRI Cairan Pembersih Lantai | |
|-------------------------------|--|--|
| Product description | : Liquid for cleaning floors | |
| Recommended use | : Cleaning agent | |
| Physical form | : Liquid | |
| Product dillution information | : Product is sold ready to use | |
| Supplier's details | : PT. Anugrah Multi Ragam Indonesia | |
| Address | : Jl. Mredo Kulon No.49, Gatak, Bangunharjo, Sewon, Bantul, DI | |
| | Yogyakarta 55185 | |

SECTION 2 – HAZARD IDENTIFICATION

| : Category 2B |
|---|
| |
| |
| |
| : Warning |
| : Causes eye iritation |
| : Prevention: |
| Wash hands thoroughly after handling. |
| Response: |
| IF IN EYES: Rinse thoroughly with water for several minutes. Remove contact lenses if easy to do, and continue rinsing. Seek medical advice if irritation persists. |
| |

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance / mixture : Mixture

| Chemical name | CAS number | Concentration (%) |
|---|------------|--------------------------|
| Poly(oxy-1,2-ethanediyl),.alpha(nonylphenyl)omega hydroxy- | 9016-45-9 | <1 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment.

SECTION 4 – FIRST AID MEASURES

| In case of eye contact In case of skin contact | : Rinse with plenty of water. : Rinse with plenty of water. |
|---|--|
| If swallowed | : Rinse mouth. Get medical attention if symptoms occur. |
| If inhaled | : Get medical attention if symptoms occur. |

SECTION 5 – FIRE FIGHTING MEASURES

| Extinguishing media | | |
|--|--|--|
| Suitable extinguishing media | : The product is non-flammable. In case of fire, use alcohol-resistant | |
| Unsuitable extinguishing media | foam, carbon dioxide, dry powder, or a water mist. Select a fire- extinguishing method appropriate for the surrounding materials.: Avoid using a water jet for extinguishing, as it can cause the fire to spread. | |
| Spesial hazard arising from the su | ibtance or mixture | |
| Spesific hazards | : When exposed to heat, containers may burst or explode due to | |
| | excessive pressure buildup. | |
| Hazardous combustion products | : Decomposition or combustion from heat may release harmful gases | |
| | or vapors. | |
| Advice for firefighters | | |
| Protective actions during firefighting | g : Avoid inhaling gases or vapors from the fire. Evacuate the area and, if | |
| | safe, cool heated containers with water spray and move them away | |
| | from the fire. Continue cooling until the fire is completely | |
| | extinguished. If a leak hasn't ignited, use water spray to disperse | |
| vapors and shield personnel managing the leak. Contain any runof | | |
| | prevent it from entering sewers or waterways, and inform authorities | |
| | if there's a pollution risk. | |
| Special protective for firefighter | : Firefighters should wear suitable protective gear and a Self-Contained | |
| Breathing Apparatus (SCBA) with a full face mask, operating i | | |
| | positive pressure mode. | |

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

2

| For non-emergency personal | : Avoid taking any action that involves personal risk or requires specific training. Evacuate nearby areas, keeping unnecessary and unprotected people away. Avoid contact with the spilled material and wear appropriate protective equipment. |
|---------------------------------|---|
| For emergency responders | : If special protective clothing is needed, refer to Section 8 for suitable materials. |
| Environmental precautions | : Prevent spilled material from spreading or contaminating soil, waterways, drains, and sewers. Notify authorities if the spill causes environmental pollution. |
| Personal precautions, protectiv | e equipment and emergency procedures |
| Small spill | : Stop the leak if safe to do so and move containers from the spill area. For water-soluble spills, dilute with water and mop up; for water- insoluble spills, absorb with an inert dry material and place in a suitable disposal container. Dispose of through a licensed waste contractor. |
| Large spill | : Stop the leak if safe and approach from upwind. Prevent spills from entering sewers, waterways, or confined spaces. Direct spill to an effluent treatment facility or contain with noncombustible absorbents like sand, earth, or vermiculite. Dispose of through a licensed waste contractor, as contaminated absorbent materials may retain the same hazards as the spilled substance. |

SECTION 7 – HANDLING AND STORAGE

| Protective measures | : Wear the necessary personal protective equipment (refer to Section 8). Avoid contact with eyes, skin, and clothing, and do not inhale |
|--|---|
| | vapor or mist. Do not ingest the product. Store in its original container or an approved alternative that is compatible, ensuring it |
| | remains tightly closed when not in use. Empty containers may retain residues and pose hazards—do not reuse them. |
| Advice on general occupational hygiene | : Prohibit eating, drinking, and smoking in areas where this material is handled, stored, or processed. Workers should wash hands and face before engaging in these activities and remove contaminated clothing and equipment before entering break areas |
| Conditions for safe storage, including any incompatibilities | : Store according to local regulations in a dry, cool, well-ventilated area, away from incompatible substances, food, and drink, and keep out of direct sunlight. Ensure the container is securely sealed and upright to prevent leaks. Do not store in unlabeled containers, and use proper containment to prevent environmental contamination. |

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control parameters

| Appropriate engineering controls Environmental exposure controls | : If user activities produce dust, fumes, gas, vapor, or mist, utilize process enclosures, local exhaust ventilation, or other engineering controls. : Emissions from ventilation or equipment should be monitored to ensure compliance with environmental protection regulations. In certain situations, fume scrubbers, filters, or modifications to the equipment may be required. |
|---|--|
| Individual protection measures | |
| Hand protection | : Wear chemical-resistant, impermeable gloves that meet approved standards whenever handling chemical products, if a risk assessment deems it necessary. |
| Eye / face protection | : Use safety eyewear that meets approved standards to prevent exposure to liquid splashes, mists, gases, or dusts, as determined by a risk assessment. If contact is possible, wear chemical splash goggles unless higher protection is needed. |
| Skin and body protection | : Select body protective equipment based on the specific task and associated risks, with specialist approval before handling the |
| Hygiene measures | product. Thoroughly wash hands, forearms, and face after handling chemicals, before eating, smoking, using the restroom, and at the end of the work period. Use suitable methods to remove any contaminated clothing, washing it before reuse. Ensure that eyewash stations and safety showers are near the work area. |

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

| Physical state | : Liquid |
|---------------------|----------------------|
| Color | : Clear, dark purple |
| Odour | : Floral |
| Solubility in water | : Water soluble |
| pH | : 7-8 (100%) |

Boiling point Melting/freezing point Flash point Relative density Viscosity, kinematic : 100 °C (approximately) : No data available : Not-flammable : 1005 Kg/m³ : 138 mPa.s

SECTION 10 – STABILITY AND REACTIVITY

The product is stable, no dangerous reactions known.

SECTION 11 – TOXICOLOGICAL INFORMATION

Dishwashing liquid has a low level of toxicity. While it may cause irritation, it is unlikely to be corrosive. It is considered to have emetic properties.

| Foam readily | : aspiration of foam into lungs is possible. |
|--------------|---|
| Eye | : can cause mild irritation |
| Skin | : unlikely to be irritant to skin in normal use |
| Inhalation | : may cause mild irritation especially when exposed for a long time |

In cases of large ingestion, address symptoms as they arise.

SECTION 12 – ECOLOGY INFORMATION

Ecotoxicity

Product AS SOLD

Environmental effects

: Harmful to aquatic life with prolonged effects and toxic to aquatic organisms.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste generation should be avoided or minimized as much as possible. Disposal of this product, its solutions, and any by-products must comply with environmental protection laws and local regulations. Use a licensed waste disposal contractor for non-recyclable products, and only dispose of waste into the sewer if it meets all authority requirements. Recycle packaging when possible; incineration or landfill should only be a last resort. Dispose of the material and its container safely, as empty containers may still contain residues. Prevent spills from reaching soil, waterways, or drains.

SECTION 14 – TRANSPORT INFORMATION

Product AS SOLD

The shipper, consignor, or sender must ensure that packaging, labeling, and markings meet the requirements of the chosen mode of transport.

Land transport

Not dangerous goods

Sea transport

Not dangerous goods

SECTION 15 – REGULATORY INFORMATION

EPCRA – Emergeny Planning and Community Right-to-Know CERCLA Reportable Quantitiy

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

| SARA 311/312 Hazards | : Serious eye damage or eye irritation |
|----------------------|--|
| SARA 302 | : This material does not contain any components with a section 302 |
| | EHS TPQ. |

SARA 313

| Chemical name | CAS number | Concentration (%) |
|---|------------|--------------------------|
| Poly(oxy-1,2-ethanediyl),.alpha(nonylphenyl)omega | 9016-45-9 | <1 |
| hydroxy- | | |

SARA 313 notifications must remain attached to the SDS, and any copying or redistribution of the SDS must include the attached notice in all redistributed copies.

United States TSCA Inventory :

All sustances listed as active on the TSCA inventory

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

On the inventory, or in compliance with the inventory

Japan. Existing and New Chemical Substances Inventory (ENCS) :

On the inventory, or in compliance with the inventory


Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC) :

On the inventory, or in compliance with the inventory

SECTION 16 – OTHER INFORMATION



Health effects from exposure

The health effects from exposure to this product depend on several factors, including frequency and duration of use, quantity used, effectiveness of control measures, protective equipment employed, and method of application. Since it is impractical to prepare a report that encompasses all possible scenarios, users are expected to assess risks and implement appropriate control methods.

Personal protective equipment guidelines

The recommendations for personal protective equipment in this report are provided as a guideline only. Factors such as the method of application, working environment, quantity used, product concentration, and availability

of engineering controls should be considered before making the final selection of personal protective equipment.

Report stuatus

The information in this safety data sheet is accurate to the best of our knowledge as of the issue date and applies when the product is used as directed. It does not imply that the substance is hazardous if handled according to safety guidelines. This data is solely for occupational safety and health purposes. PT Anugrah Multi Ragam Indonesia assumes no responsibility for injuries or property damage resulting from misuse of the product.

